

## SPACE™ Trailers specifications and stuff to know

SPACE™

SPACETRAILERS.COM

TRAILERS



SPACEtrailers.com

## **Weight and Capacity**

- » Weight is approximately 625 lbs depending on options
- » 1000 lbs load capacity
- » 1650 lbs total load capacity including trailer
- » 225 lbs dynamic (moving) load capacity on SPACE Bars
- » 600 lbs static (not moving) load capacity on SPACE Bars

## **Dimensions**

- » Box height w/out canopy – 84”L x 49”W x 13”H
- » Overall Trailer (with fenders) - 84”L x 69”W
- » Height to the top of SPACE Bars is determined by wheel and spring configuration:
  - 13” Lowrider – 51”
  - 13” Highrider – 54”
  - 15” Lowrider – 52.5”
  - 15” Highrider - 55”

***Note: SPACE Bars are not height adjustable***

## **Trailer length with tongue options**



- » 6500 Standard tongue: 11.0’L (4’ in front of box) – Haul up to a 10ft Kayak
- » 6500 Longneck tongue: 12.5’L (5.5’ in front of box) – Haul up to a 15ft Kayak
- » 6500 Longneck XL: 13.5’L (6.5’ in front of box) – Haul up to 18ft Kayak



## Tongue height, hitch height & ball mounts

- » Lowrider with 13" wheels - tongue height 14"
- » Highrider with 13" wheels - tongue height 19"
- » Lowrider with 15" wheels - tongue height 17"
- » Highrider with 15" wheels - tongue height 21"

*Note: Tongue height is from the ground to the bottom of the coupler*



Ball Mounts

## **COMPONENTS**

- » 18 Gauge galvanized powder coated box
- » 14 Gauge hot dipped galvanized steel frame with five cross members  
*Frame not designed for the addition of a rear hitch receiver*
- » Aluminum rivets and stainless steel fasteners
- » Leaf spring axle with Dexter EZ-lube hubs
- » ½ inch Marine grade plywood poly-coated on both sides (non-skid inside the box)
- » LED lights and worry free custom made wiring harness
- » 2” ball and 4-flat wire connection
- » Highway rated radial tires
- » UV Protectant .25” thick HDPE canopy with Aluminum frame
- » Canopy is removable – see website for video
- » SPACE Bars diameter – 1.125”
- » Easy open tailgate (not intended for heavy objects)
- » Powder coated tailgate latches with carabiners can be secured with padlocks (purchased separately)
- » Standard gas cylinder capacity – 150 lbs
- » Heavy duty gas cylinder capacity – 200 lbs
- » Tongue weight with spare tire – approximately 75 lbs  
*Note: Maximum weight tongue 50lbs – spare tire only*